



# *RESOURCE STAGING & POINT OF DISTRIBUTION PLANNING*

*THE OHIO DEPARTMENT OF PUBLIC SAFETY  
EMERGENCY MANAGEMENT AGENCY  
OCTOBER 2019*





# Resource Distribution

- 2014 – Toledo water incident
- 2015 – 2016 Flint, MI
- 2016 – Sebring water incident
- 2017 – 2018 Hurricane Season



# Resource Distribution

## May 2019 – Tornado Outbreak

- *~200,000 in or near tornado tracks*
- *~58,000 gallons of water distributed*



# *Resource Distribution*

*2019 EMPG requirement*

## *Resource (commodity) Distribution Plan*

- *Receipt*
- *Temporary Storage/Staging*
- *Distribution*



# *Resource Distribution*

## *Responsibilities*

### *State*


- *Acquisition/receipt, temporary storage/staging, dispatch*

### *County/municipal*

- *Distribution*



# State Staging Area





# STATE STAGING AREA

- *13.5 Acre concrete pad*
- *800 53-foot trailers*
- *450 Semi tractors and trailers*
- *Throughput is limited to 100 – 200 due to restricted check-in and check-out gates*



# Staging and Commodity Distribution

## Commodity Point of Distribution

- *State POD kit*
- *Procedures*





# Points of Distribution

## *State POD kit*

- *Type II minus forklifts*
- *Can deploy as a state asset*
- *Can be loaned to counties or other jurisdictions*





# TRAINING AND EXERCISES

## *Staging area training*

- *March 2019*
- *OHMR*





# TRAINING AND EXERCISES

## *Staging area training Eagle Rising, POD Exercise*

- *May 2019*
- *OHMR, ODPS*





# TRAINING AND EXERCISES

## *Vigilant Guard, POD and Staging*

- *August 2019*
- *Clark County*





# *POD Planning*

## *POD Planning*

- *Plan for 40% of impacted population*

*Example:*

- *144,500 X 40% = ~58,000 people*



# *POD Planning*

## *POD Planning*

- *Type III POD supports ~5,000 people per day*
- *140 vehicles per hour*
- *Example requires 12 Type III PODs*



# POD Planning

## POD Supplies

- “POD in a Can”
- Forklift
- Pallet Jack
- Restrooms
- Tent
- Dumpster





# POD Planning

*Staff (Per POD)*

*Type I - 80 - 85*

*Type II - 40 - 45*

*Type III - 20 - 25*





# *POD Planning*

## *Location*

- *Accessible*
- *Secure*

*Type I – 100,000 sq ft*

*Type II – 75,000 sq ft*

*Type III – 50,000 sq ft*



# *POD Planning*

*Susan Traylor*

*614-799-3670*

*sctraylor@dps.ohio.gov*

*Phil Johnson*

*614-799-3680*

*prjohnson@dps.ohio.gov*